SUNSCREEN ZEBRA FABRIC MANUFACTURE

www.sunetex.com





Z1001-Z1016 **BASIC Series**

SPECIFICATION Basic Series

Composition 31% Polyester & 69% PVC

Area Weight

 $328gsm \pm 5\%$

Width

2m/2.5m/3m

Roll Length

30m

Openness Factor

Around 5%

Thickness

0.55mm $\pm 5\%$

Anti-Ultraviolet

About 95%

Fireproofing Grade

GB 50222-95 B1 Grade

Anti-bacteria Standard

ASTM G21

Color Fastness

Grade 8, ISO 105 B02

Sheer & Repeat Ecological Textiles Cer.

65mmx90mm / 50mmx75mm Oeko-Tex Standard 100 Class IV

Lead Content

16 CFR 1303(American standard)

Air Quality Auth.

DMF Content

GREENGUARD Authentic

ormaldehyde Content

GB/T 2912.1 2009 251 EC

Processing Method

Welding or weaving

Clean and Maintain

>Please use dust collector to clean the ash.

>Don't scrub in by hand or washing machine.

>Please don't use any cleaning agent, which might against the PVC coating.

>Don't rub it with rough material either.

>Please wash it with soap, and then with clean water, finally hang it up straight to dry it naturally.

















www.sunetex.com















Z1017-Z1049 **SPECIAL Series**

SPECIFICATION Special Series

Composition 35% Polyester & 65% PVC

Area Weight

270gsm ~330g± 5% basing on different items

Width

3m

Roll Length

30m

Openness Factor

Around 5%

Thickness

0.55mm $\pm 5\%$

Anti-Ultraviolet

About 95%

Fireproofing Grade

GB 50222-95 B1 Grade

Anti-bacteria Standard

ASTM G21

Color Fastness

Grade 8, ISO 105 B02

Sheer & Repeat

60mmx100mm / 50mmx75mm

Ecological Textiles Cer. Lead Content

Oeko-Tex Standard 100 Class IV

Air Quality Auth.

16 CFR 1303(American standard)

GREENGUARD Authentic

ormaldehyde Content

GB/T 2912.1

DMF Content

2009 251 EC

Processing Method

Welding or weaving

Clean and Maintain

>Please use dust collector to clean the ash.

>Don't scrub in by hand or washing machine.

>Please don't use any cleaning agent, which might against the PVC coating.

>Don't rub it with rough material either.

>Please wash it with soap, and then with clean water, finally hang it up straight to dry it naturally.





























